

THE DESIGN OF INTERACTIVE AUDIO SOCCER

Tony Stockman, Neil Rajgor, Oussama Metatla and Lila Harrar

Interaction, Media and Communication group

Queen Mary, University of London

Mile End Road, London E1 4NS

{tonys/nerl/oussama/littlen}@dcs.qmul.ac.uk

ABSTRACT

The questions involved in the design of an interactive, audio only football game are explored. The game design process starts by exploring basic questions such as size of playing area, orientation, awareness of team mates and opponents and basic navigation. The project goes on to explore More advanced design issues, not addressed by previous audio only ball games, involving the provision of a multi-player perspective, requiring the provision of an intuitive means of supporting changes in the focus of the interaction in audio. In general the dynamic, multi-player perspective poses interesting questions of how to provide real time and interactive sonification of ball and player positions and how these should be managed within the context of the changes in interaction focus mentioned above. A further interesting issue relates to how, within an auditory game context, to handle aspects of the game which are essentially silent, such as the sides of the pitch, positions of the goals and players who are not currently moving. To assist with these and other design questions, advice was sort from passed and present players of the British blind soccer squad. The information gathered ranged from basic facts about the rules and conditions under which games are played, through to discussions about the role of echo location in providing an awareness of physical features of the pitch and the proximity of other players. As echo location is a phenomenon which is almost felt more than heard, this in turn led to the question of how realistically to present the information provided through echo location in a virtual auditory display. The paper concludes with a discussion of the potential roles of this type of system in team coaching, exploring the practical applications of audio game representations to realistic coaching scenarios.

1.INTRODUCTION

Audio plays a very important role in video games – imagine trying to play a favourite sports or fiction-based game without music to set the mood and sound effects to bring realism to the action. Compared to technology interfaces for work related systems, where audio remains largely under exploited, audio in games is used in relatively sophisticated ways, often providing a multi-layered audio environment used to render complex auditory scenes, making a substantial contribution to the feeling of being immersed in the action. The use of ambient sounds, music and increasingly the option of employing dynamically synthesised sounds are important elements in this process.

A relatively new development in the gaming arena is that of sophisticated, audio-only games. These are often, but not exclusively, targeted at a visually impaired audience. Audio-only games have in fact been around since the early '80s, when they typically used synthetic speech output supplemented with

relatively simple sound effects. Today's audio games however, such as *Shades Of Doom* (first person shooter), *Grizzly Gulch* (adventure) and *Lone Wolf* (submarine simulator) use sound in sophisticated ways, transitioning smoothly between a series of multi-layered soundscapes to provide a real feeling of emersion. Many of today's audio games designed for the blind can be played over the Internet, and sometimes provide a visual interface to promote collaborative game play between visually impaired and sighted gamers. The AudioGames web site [1] is dedicated to the discussion of computer games which, through accident or design, are accessible to the blind. It contains links to numerous production and experimental games and includes issues of the audio gaming magazine *Audyssey*.

The project described here explores the development of an audio football game as a vehicle for examining a number of questions involved in the design of interactive audio displays. It is interesting to note that in spite of the fact that ball games such as football, cricket, golf, goalball and baseball are played by significant numbers of visually impaired people, in schools and on a national and international basis, there are very few examples of computer-based audio ball games, and those that do exist generally provide only greatly simplified representations of real game situations.

2.MOTIVATION

Key questions that we wish to explore in relation to the use of interactive auditory displays include the following:

- Orientation: what auditory cues are effective in assisting someone to orientate themselves in a virtual audio environment (VAE)?
- Comprehension: how can audio be used to convey both an overview of a complex auditory scene and specific details of the location and state of objects of immediate interest?
- Hand-ear coordination: at what speeds can someone interacting with such a VAE perform proactive and reactive interventions in the environment? How much does this ability vary between individuals? and how much can it be changed by learning?
- Communication/dissemination: Can information about dynamically changing auditory scenes depicted in such a VAE be effectively communicated between users of the system?
- Applications in mobility training/sports coaching: do experiences obtained through interactions in such a

VAE have any value in assisting the user to deal with similar situations in the real world?

Football was chosen as a suitable medium through which to explore these questions because it is a simple and widely understood game which can easily be used to generate moderately complex, dynamically changing auditory scenes, and so provide a suitable environment for the exploration of the above questions. Furthermore, the increasing development of blind football within Europe, including its designation as a sport in the 2012 Paralympics, was seen as providing potential for the exploration of the dissemination and coaching questions described above.

3.RELATED WORK

The only other football simulation game we are aware of is Super Football, by Igor Khmelevtsov [2]. This game enables a player to play against the computer or against another player over the Internet. It provides 11-a-side teams based on a 6 by 7 grid layout. Players are located in cells on the grid and do not move from their allotted cell. Only one player on each team can be "active" at one time, this need not be the player currently in possession of the ball. The game supports scoring (by fixed players only), passing (forwards or to either side), tackling and free kicks. There is limited support for player orientation in that the direction of passing and shooting is determined by whether the player is currently facing forward or to either sides. The game has attracted some interest from blind players playing over the Internet, but its greatly simplified model of the pitch and lack of player dynamics means that it does not address the orientation and navigation questions described above. There are several examples of non-ball games which do provide dynamic and sophisticated auditory scenes. A good example of this genre is David Greenwood's Shades of Doom, version 1.2 [3], in which you go through a top-secret research base shooting monsters while attempting to shut down the ill-fated experiment. This game has dynamic and realistic Multi-layered, 3D sound with up to 32 sounds playing simultaneously. It makes use of a stereo or surround sound system, and has synthesized 3D effects for non-surround sound systems. However, because this and other games of its type are played in the first person, they do not present the same requirement for context switching with its consequent issues for orientation and navigation.

4.RULES, REQUIREMENTS AND ENVIRONMENT

It was decided as far as possible to mirror the rules and environment in which blind football is usually played so that the game behaviour would match the expectations of its target audience and would maximise the potential of the game as a means of communicating realistic scenarios between players. The rules of blind football are in general very similar to those of usual 5-a-side football, other than the fact that there is no offside rule and players are not generally allowed to encroach into the goal area of their opponents. Blind football is usually played on an astro turf pitch surrounded by boards with goal posts set close to the ends of the pitch to minimise the danger of players colliding with the posts.

Discussions with current and former members of the British blind football squad determined the following features and

issues to be taken into account in designing the interactive sonification of the game:

- The way the ball is made audible is by including a small quantity of lead shot inside it. This is sufficient to make the ball audible without adding unduly to its weight. It is a reasonable approximation to continue to use the physics model of the ball without lead shot.
- Player orientation and navigation is achieved through a combination of practice, sounds in the environment such as calls and footsteps from other players, sounds from the ball, for example when it hits the sides or ends of the pitch, noise from spectators (which is generally discouraged), instructions from team coaches and the use of echolocation.
- Standard international rules dictate that a player should signal the intention to tackle by saying the word "voi" prior to making the tackle. On the other hand, domestically in the UK, many players prefer to omit this requirement and simply rely on hearing where opponents are. Because of the conflict of opinion it was decided to provide the "intention to tackle" signal as a feature that can be switched on or off according to preference.

Generally in international games, a team coach stands behind the opposing teams goal and issues instructions to players, in particular when to shoot. Again player preferences varied on this and so it was decided to implement this as a switchable feature also.

5.DEVELOPMENT

5.1.Software Architecture

The architecture of the system comprises 3 layers, depicted in Figure 1 and described below.




Figure 1. The architecture of the system consists of 3 layers: the Sound Interface, Sound Objects, and the Auditory Game

The Sound Interface is used to play sound in the system. This consists of two main objects; OpenAL and the OpenAL Interface [4]. OpenAL (Open Audio Library) is a standard API for sound programmers. It has been developed to offer a portable alternative to the sound part of Microsoft's DirectX API (DirectSound). OpenAL's principles are based heavily on earlier API's and the widely used OpenGL graphic API. OpenAL allows the developer to define the main sound elements of a virtual 3D scene (sound source locations and characteristics, room acoustics, listener positions) and to define the dynamics of these elements in the coding of a game. It allows Sound effects to be applied to sound sources in real time. The OpenAL Interface is a set of java classes which simplify use of OpenAL from the application.

Sound Objects allow the placement and movement of 3D sounds. This uses the Sound Interface described above as well as a Physics component. The Physics component stores coordinates (X and Y values) and allows changes to these values, using a system of points and vectors.

The Auditory Game component contains the definitions of the game dynamics and the current state of the game. It defines the playing environment such as pitch size and acoustics and the dynamics of the game such as passing, tackling and context switching in response to changes in the state of the game. Currently players interact with the system using a keyboard, though it is anticipated that joystick input will be supported in later versions.

5.2. Iterative Development

It was decided to depart from the approach taken in [2] and not to provide a sound indicator of the player with the current focus. The approach taken is intended to better mirror the situation in real blind football where one's orientation is provided by the sounds of other players and through a phenomenon called *Echo Location* of the sides and ends of the pitch. "In the strict sense of the term, echolocation is determining the location of objects in the environment on the basis of how they reflect sounds produced by the listener. However, some researchers have used the term to include the use of ambient reflected sound that is not produced by the listener" [5].

Other early design issues considered included the overall size of the pitch, the speed of players movements, how to sonify key events such as the outcome of tackles, changes in the player in focus, how to simulate echolocation of the sides and ends of the pitch.

The usual iterative approach to interactive system development was supplemented by a "divide and conquer" approach to development and prototyping, both to simplify the development process and the design of the interaction. For example, the first prototype contained only one opponent player, so that a careful investigation could be made of viable pitch dimensions and the speed of player movements. Experiments with this initial prototype of the game clearly showed that, as with several other audio games for blind users, the overall responsiveness of the game was improved considerably by unloading screen reader software. This has an implication for game development, as it means no reliance can be placed on the screen reader to deliver information, the game must be self voicing. It was decided as far as possible to simulate the sounds that facilitate orientation

and navigation (see section 4). One departure from this is echolocation. True echolocation could only be brought about by the player of the game actually moving near physical objects such as the sides and ends of a real pitch. It was decided to experiment with implementations of echolocation by using sounds to indicate when the player in the game was approaching the side or end of the pitch. How realistic this representation of echolocation in practice, or at least how well it worked in facilitating interactive game play, became interesting questions which can only be determined by formative evaluation. It was decided to simulate echolocation using white noise, because as it is experienced in real life echolocation doesn't have distinctive tonal qualities. It was also decided to commence simulation of echolocation within 5 key presses of the sides and ends of the pitch.

Finally, an additional consideration within the audio game compared with real games of blind football is the need to change the current focus, for example when the player with the current focus passes to another player, or when the player with the current focus is effectively taken out of the game by an opponent with the ball getting out of tackling range. Rather than relying purely on the natural sounds of the game to indicate such changes in focus, a specific audio indicator of such changes is employed.

6. DISCUSSION

The current status of the project is that evaluation experiments have begun with early prototypes of the audio game, which are focusing on orientation and navigation issues. Further development is ongoing, which will increasingly address multi-player aspects and more realistic audio representations of the pitch and other game sounds.

Discussion with players and a coach indicate that there is real potential for a game of this type to be used to convey ideas about specific aspects of the game, such as where players should be and should react in set plays such as free kicks, throw in and corner kick situations. A problem experienced by players in real training scenarios is obtaining an overview of game positions as envisaged by a coach. A good auditory representation of such situations could be used to indicate initial positions of players at the start of a set play, and provide an auditory representation of the set play as it develops. Interestingly, the audio within the game should provide a much clearer representation of such situations than would be normally available to a blind player in a real match environment, as within the game all relevant aspects can be sonified as opposed to only those that are readily audible within a real game. An interesting question arises as to whether such an enhanced audio representation as that feasible within the game can A) be used to assist with learning in real life coaching scenarios and B) whether the improved representation of overall context available within the game has any impact on decision making in specific situations, firstly within audio game play and secondly whether this transfers in any meaningful way into real game situations.

7. REFERENCES

- [1] <http://www.audiogames.net>
- [2] <http://www.vipgameszone.com/superfootball/supfootball.php>

- [3] <http://www.gmagames.com>
- [4] <http://www.openal.org>
- [5] J. G. Neuhoff, *Ecological Psychoacoustics*, Academic Press, 2004, chapter 4 Auditory motion and localisation, p103.